

Patons

KNITTING BOOK NO. 273



"GRAMPIANS"—See page 10

P&B  
WOOLS

8d.

PATONS &  
BALDWIN'S



## *Caucasus* (In Three Sizes)

PATONS BLUEBELL CREPE

Instructions on opposite page.

## *Alpine* (In Two Sizes — Round or "V" Neck — With or Without Sleeve)

PATONS BLUEBELL CREPE

Instructions on page 12.



# Caucasus

(IN THREE SIZES, ILLUSTRATED OPPOSITE AT LEFT)

## MATERIALS:—

## PATONS BLUEBELL Crepe.

	A	B	C
Quantities . . . . .	9 ozs.	10 ozs.	11 ozs.
Knitting Needles—1 pair each Nos. 9 and 11, measured on a Beehive Needle Gauge.			
Two Stitch-holders.			

MEASUREMENTS (to fit A—34-35, B—36-37, C—38-39 inch chest):—

	A	B	C
Length from top of shoulder . .	21½ ins.	23½ ins.	24 ins.

ABBREVIATIONS:—See page 17.

TENSION:—To get these measurements it is absolutely necessary to work at a tension to produce 1 pattern to 1½ inches in width. *Check tension—see page 17.*

*Instructions are written for smallest size A. Instructions for larger sizes B and C are written in brackets, thus [B—...] [C—...].*

**THE FRONT.**—Using No. 11 Needles, cast on 104 [B—112] [C—122] stitches.

**1st row.**—K.2, \* P.1, K.1, repeat from \* to end of row. Repeat 1st row forty times.

**[A] 42nd row.**—K.2, \* P.1, K.1, P.1, increase once in next st., repeat from \* to last 6 sts., (P.1, K.1) three times (128 sts.).

**[B] 42nd row.**—K.2, (P.1, K.1) twice, \* P.1, K.1, P.1, increase once in next st., repeat from \* to last 6 sts., (P.1, K.1) three times (137 sts.).

**[C] 42nd row.**—K.2, P.1, K.1, increase once in next st., \* work 4 sts. in rib, increase once in next st., repeat from \* to last 2 sts., P.1, K.1 (146 sts.).

Using No. 9 Needles, proceed as follows:—

**\*\* 1st row.**—P.4, \* K.3, P.6, repeat from \* to last 7 sts., K.3, P.4.

**2nd row.**—K.4, \* P.3, K.6, repeat from \* to last 7 sts., P.3, K.4.

**3rd row.**—P.4, \* w.o.n., K.3, pass w.o.n. over K.3 (this will now be termed "Loop Over" throughout), P.6. repeat from \* to last 7 sts., "Loop Over," P.4.

**4th row.**—Like 2nd row. \*\*

Repeat from \*\* to \*\* twenty-one [B—twenty-three] [C—twenty-five] times.

Cast off 15 sts. at beginning of next 2 rows, then decrease once at each end of needle in every row three times, then in every alternate row three times. \*\*\*

Work 28 rows in pattern without shaping.

In next row, K.1, (P.3, K.6) three times, P.3, K.3, [B—K.6] [C—K.6, P.3], turn.

Continue in pattern on these 34 [B—37] [C—40] sts., decreasing once at neck edge in every row three times, then in every alternate row five times.

Work 25 [B—27] [C—29] rows in pattern without shaping.

Shape for shoulder as follows:—

**1st row.**—Work in pattern to last 6 [B—7] [C—8] sts., turn.

**2nd and alternate rows.**—Work in pattern to end of row.

**3rd row.**—Work in pattern to last 13 [B—14] [C—16] sts., turn.

**5th row.**—Work in pattern to last 19 [B—21] [C—24] sts., turn.

**7th row.**—Like 2nd row. Cast off.

Slip next 18 [B—21] [C—24] sts. on to a stitch-holder.

Join in wool and work on remaining 34 [B—37] [C—40] sts. to correspond with other side.

**THE BACK.**—Work exactly as given for Front to \*\*\*. Continue without shaping until arm-holes measure same as Front arm-holes.

Shape for shoulders as follows:—

**1st and 2nd rows.**—Work in pattern to last 6 [B—7] [C—8] sts., turn.

**3rd and 4th rows.**—Work in pattern to last 13 [B—14] [C—16] sts., turn.

**5th and 6th rows.**—Work in pattern to last 19 [B—21] [C—24] sts., turn.

**7th and 8th rows.**—Work in pattern to last 26 [B—29] [C—32] sts., turn.

**9th row.**—Work in pattern to end of row.

**10th row.**—Cast off 26 [B—29] [C—32] sts., work 34 [B—37] [C—40] sts. in pattern, cast off 26 [B—29] [C—32] sts.; leave remaining sts. on a stitch-holder.

**THE NECK-BAND.**—Using a back stitch seam (½ of an inch in width), sew up left shoulder seam.

With right side of work facing, and using No. 11 Needles, work across 34 [B—37] [C—40] sts. in pattern from back stitch-holder, knit up 39 sts. evenly along left side of neck, work across 18 [B—21] [C—24] sts. in pattern from front stitch-holder, knit up 39 sts. evenly along right side of neck (130 [B—136] [C—142] sts.).

**1st row.**—K.2, \* P.1, K.1, repeat from \* to end of row. Repeat 1st row nine times. Cast off in rib.

**THE ARM-HOLE BANDS.**—Using a back stitch seam (½ of an inch in width), sew up right shoulder seam. With right side of work facing, and using No. 11 Needles, knit up 150 stitches evenly round arm-hole.

**1st row.**—K.2, \* P.1, K.1, repeat from \* to end of row. Repeat 1st row nine times. Cast off in rib.

Work other Arm-hole Band in same manner.

**TO MAKE UP PULLOVER.**—With a slightly damp cloth and warm iron, press lightly. Using a back stitch seam (½ of an inch in width), sew up side seams.

# Pyrenees

(WITH OR WITHOUT SLEEVES—ILLUSTRATED OPPOSITE)

**MATERIALS:—****PATONS BEEHIVE Fingering, 4-ply—"PATONISED"****Quantities—****With Sleeves—**

Brown . . . . .	12 ozs.
Natural . . . . .	2 ozs.
Gold . . . . .	1 oz.
Rust . . . . .	1 oz.
Larkspur . . . . .	1 oz.


**Without Sleeves—**

Brown . . . . .	7 ozs.
Natural . . . . .	2 ozs.
Gold . . . . .	1 oz.
Rust . . . . .	1 oz.
Larkspur . . . . .	1 oz.

Knitting Needles—1 pair each Nos. 9 and 11, 1 set of four No. 11, measured on a Beehive Needle Gauge.  
Two Stitch-holders.  
Ten "Beutron" Buttons.

**MEASUREMENTS (to fit 38—40 inch chest):—**

Length from top of shoulder . . . . . 23 ins.  
Length of sleeve from under-arm . . . . . 20½ ins.

**ABBREVIATIONS:—**See page 17.

**TENSION:—**To get these measurements it is absolutely necessary to work at a tension to produce  $7\frac{1}{2}$  stitches to the inch in width. *Check tension — see page 17.*

*Pattern is worked in by twisting the two colours on wrong side of fabric, that is to say, colour in use is twisted under and over colour not in use, latter being left at a loose tension to allow correct elasticity to fabric.*

**THE POCKETS.**—Using No. 9 Needles and Brown Wool, cast on 33 stitches, and work in smooth fabric (1 row K., 1 row P.) for 4 ins., finishing at end of a P. row.

Slip sts. on to a stitch-holder and leave.

Work a second Pocket in same way.

**THE CARDIGAN.**—Back and Fronts are worked in one piece up to arm-hole shaping.

Using No. 11 Needles and Brown Wool, cast on 311 sts.

**1st row.**—K.2, \* P.1, K.1, repeat from \* to last st., K.1.

**2nd row.**—\* K.1, P.1, repeat from \* to last st., K.1.

**3rd and 4th rows.**—As 1st and 2nd rows.

**5th row.**—Rib to last 7 sts. Cast off 3 sts., rib to end.

**6th row.**—Rib 4, cast on 3, rib to end.

**7th to 16th rows.**—Repeat 1st and 2nd rows five times.

**17th row.**—Rib 11, knit to last 11 sts., slip last 11 sts. on to a safety-pin and leave for present.

Using No. 9 Needles, proceed as follows:—

In next row, purl to last 13 sts., P.2 tog., slip last 11 sts. on to a safety-pin and leave.

Proceed to work rows 1 to 32 inclusive Fair Isle pattern from chart (odd rows knit, even rows purl).

**33rd row.**—Knit across 12 sts., knit the 33 sts. from 1st pocket on to right-hand needle.

Slip next 33 sts. on to a stitch-holder and leave for present.

Knit to last 45 sts., knit the 33 sts. from 2nd pocket on to right-hand needle, slip next 33 sts. on to stitch-holder, and leave for present, knit across last 12 sts.

Now work rows 34 to 52 inclusive, then rows 1 to 52, then rows 1 to 8 from chart.

Divide for arm-holes:—


In next row, knit across 67 sts., cast off 12, knit across 130 sts., cast off 12, knit across 67 sts.

**\*\* Work Left Front on first set of 67 stitches, as follows:** Keeping Fair Isle pattern correct, decrease 1 st. by K.2 tog. at arm-hole edge on next and every row, until 8 decreasings in all have been worked at arm-hole edge; at the same time decrease at front edge on every 3rd row, until 57 sts. remain.

Continue without further shaping at arm-hole edge, still decreasing on every 3rd row from previous decreasing at front edge, until 36 sts. remain, finishing on the 26th row of chart.

[Continued on page 14]





## Pyrenees

PATONS BEEHIVE FINGERING, 4-ply—"PATONISED"

With Sleeves : Chest — 38-40 ins., 17 ozs.

Without Sleeves : Chest — 38-40 ins., 12 ozs.

*Instructions on opposite page.*

# Rocky

(IN TWO SIZES—WITH POLO OR "V" NECK—  
ILLUSTRATED OPPOSITE)

## MATERIALS:—

### PATONS TOTEM Knitting Wool.

#### Quantities—

	A	B
Polo Neck . . . . .	1 lb. 8 ozs.	1 lb. 10 ozs.
"V" Neck . . . . .	1 lb. 6 ozs.	1 lb. 8 ozs.
Knitting Needles—1 pair each Nos. 6 and 9, measured on a Beehive Needle Gauge.		
A Stitch-holder.		

## MEASUREMENTS:—

	A	B
Length from top of shoulder . . . . .	24½ ins.	24½ ins.
Width all round at under-arm . . . . .	38 ins.	40 ins.
Length of sleeve from under-arm . . . . .	20 ins.	20 ins.
	(or length desired)	

## ABBREVIATIONS:—See page 17.

**TENSION:—**To get these measurements it is absolutely necessary to work at a tension to produce 2 patterns to 1½ inches in width. *Check tension — see page 17.*

*Instructions are written for smaller size A. Instructions for larger size B are written in brackets, thus [B—...].*

## PULLOVER WITH POLO NECK.

**THE FRONT.**—Using No. 9 Needles, cast on 106 [B—112] stitches.

**1st row.**—K.2, \* P.1, K.1, repeat from \* to end of row. Repeat 1st row thirty-six times.

**[A] 38th row.**—Work 4 sts. in rib, \* work 10 sts. in rib, increase once in next st., repeat from \* to last 3 sts., work 3 sts. in rib (115 sts.).

**[B] 38th row.**—Work 12 sts. in rib, \* work 10 sts. in rib, increase once in next st., repeat from \* to last 12 sts., work 12 sts. in rib (120 sts.).

Using No. 6 Needles, proceed as follows:—

**\*\* 1st row.**—K.4, \* P.2, K.3, repeat from \* to last st., K.1.

**2nd row.**—P.4, \* K.2, P.3, repeat from \* to last st., P.1.

**3rd row.**—(All slip sts., whether on right or wrong side of work, to be worked knitways, so as to produce a twisted effect), K.1, wool front, \* slip 1, wool back, slip 1, wool front, slip 1, P.2, repeat from \* to last 4 sts., slip 1, wool back, slip 1, wool front, slip 1, wool back, K.1.

**4th row.**—P.1, wool back, \* slip 1, wool front, slip 1, wool back, slip 1, K.2, repeat from \* to last 4 sts., slip 1, wool front, slip 1, wool back, slip 1, wool front, P.1.

**5th row.**—Like 3rd row.

Repeat 2nd row once, then 1st and 2nd rows once. \*\*

Repeat from \*\* to \*\* eleven times.

Cast off 5 [B—8] sts. at beginning of next 2 rows, then decrease once at each end of needle in next and every alternate row, until 89 [B—90] sts. remain.

Work 31 rows in pattern without shaping.

In next row, work 35 sts. in pattern, turn.

Continue on these 35 sts., decreasing once at neck edge in every alternate row, until 28 sts. remain.

Work 4 [B—6] rows in pattern without shaping.

Shape for shoulder as follows:—

**1st row.**—Work to last 7 sts., turn.

**2nd and 4th rows.**—Work to end of row.

**3rd row.**—Work to last 14 sts., turn.

**5th row.**—Work to last 21 sts., turn.

**6th row.**—Work to end of row. Cast off.

Slip next 19 [B—20] sts. on to stitch-holder, then work on remaining sts. to correspond with other side.

**THE BACK.**—Work exactly as given for Front, until arm-hole shapings have been completed (89 [B—90] sts.). Continue without shaping until arm-holes measure same as Front arm-holes.

Shape for shoulders as follows:—

**1st and 2nd rows.**—Work to last 7 sts., turn.

**3rd and 4th rows.**—Work to last 14 sts., turn.

**5th and 6th rows.**—Work to last 21 sts., turn.

**7th and 8th rows.**—Work to last 28 sts., turn.

**9th row.**—Work to end of row. Cast off.

**THE SLEEVES.**—Using No. 9 Needles, cast on 58 [B—58] stitches.

**1st row.**—K.2, \* P.1, K.1, repeat from \* to end of row. Repeat 1st row thirty-five times, increasing once at end of needle in last row.

Using No. 6 Needles, proceed as follows:—

**\*\* 1st row.**—K.1, \* P.2, K.3, repeat from \* to last 3 sts., P.2, K.1.

**2nd row.**—P.1, K.2, \* P.3, K.2, repeat from \* to last st., P.1.

**3rd row.**—K.1, P.2, \* slip 1, wool back, slip 1, wool front, slip 1, P.2, repeat from \* to last st., wool back, K.1.

**4th row.**—P.1, K.2, \* slip 1, wool front, slip 1, wool back, slip 1, K.2, repeat from \* to last st., wool front, P.1.

**5th row.**—Like 3rd row.

Repeat 2nd row once, then 1st and 2nd rows once. \*\*

Continue in pattern, as given from \*\* to \*\*, increasing once at each end of needle in next and every following 8th row, until there are 89 [B—89] sts. on needle.

Continue without shaping until work measures 20 [B—20] ins. (or length desired) from commencement.

\*\* Cast off 2 sts. at beginning of next 2 rows, then 1 st. at beginning of following 2 rows. \*\*


Repeat from \*\* to \*\* ten times. Cast off.

Work another Sleeve in same manner.

[Continued on page 15]



PATONS &  
BALDWIN'S



## *Rocky* (In Two Sizes)

### PATONS TOTEM KNITTING WOOL

Polo Neck : Chest — 38 ins., 24 ozs.; 40 ins., 26 ozs.

"V" Neck : Chest — 38 ins., 22 ozs.; 40 ins., 24 ozs.

*Instructions on opposite page.*



# Sierra

(IN THREE SIZES—ILLUSTRATED OPPOSITE)

**MATERIALS:—****PATONS HIGHLAND Sports Wool.**

	A	B	C
Quantities . . . . .	1 lb. 2 ozs.	1 lb. 3 ozs.	1 lb. 4 ozs.
Knitting Needles—1 pair each Nos. 9 and 11, measured on a Beehive Needle Gauge.			
Eight "Beutron" Buttons.			

**MEASUREMENTS:—**

	A	B	C
Length from top of shoulder	25 ins.	25 ins.	25 ins.
Width all round at under-arm	37 ins.	41 ins.	45 ins.
Length of sleeve from under-arm . . . . .	20 ins.	20 ins.	20 ins.
		(or length desired)	

**ABBREVIATIONS:—**See page 17.

**TENSION:—**To get these measurements it is absolutely necessary to work at a tension to produce  $12\frac{1}{2}$  stitches to 2 inches in width. *Check tension — see page 17.*

*Instructions are written for smallest size A. Instructions for larger sizes B and C are written in brackets, thus [B—...] [C—...].*

**THE RIGHT FRONT:—**Using No. 11 Needles, cast on 62 [B—68] [C—74] stitches.

**1st row.**—K.2, \* P.1, K.1, repeat from \* to end of row.

Repeat 1st row thirty-six times.

**38th row.**—Work 3 [B—2] [C—5] sts. in rib, \* increase once in next st., work 4 [B—5] [C—4] sts. in rib, repeat from \* to last [A and C—14 sts., work in rib to end of row] [B—to last 18 sts., increase once in next st., work in rib to end of row] (71 [B—77] [C—85] sts.).

Using No. 9 Needles, proceed as follows:—

**1st row.**—K.2, (P.1, K.1) six times, knit plain to end of row.

**2nd row.**—Purl to last 14 sts., (P.1, K.1) seven times.

Repeat 1st and 2nd rows fifty-one times, then 1st row once.

Cast off 6 [B—8] [C—10] sts. at beginning of next row:

Decrease once at arm-hole edge in next row, then every alternate row, eight [B—eight] [C—ten] times, whilst at same time decreasing once at front edge (inside border) in every 3rd row five [B—five] [C—seven] times (51 [B—55] [C—57] sts.).

Continue decreasing at front edge only in next [B—next] [C—3rd] row, then every following 3rd row, until 33 [B—37] [C—41] sts. remain.

Work 1 row without shaping.

Shape for shoulder as follows:—

**1st row.**—Work to last 6 [B—7] [C—9] sts., turn.

**2nd and 4th rows.**—Work to end of row.

**3rd row.**—Work to last 12 [B—15] [C—18] sts., turn.

**5th row.**—Work to last 19 [B—23] [C—27] sts., turn.

**6th and 7th rows.**—Like 2nd row.

**8th row.**—Cast off 19 [B—23] [C—27] sts., (P.1, K.1) seven times.

Work  $2\frac{3}{4}$  ins. in rib on remaining sts. Cast off.

**THE LEFT FRONT.**—Using No. 11 Needles, cast on 62 [B—68] [C—74] stitches.

**1st row.**—\* K.1, P.1, repeat from \* to last 2 sts., K.2.

Work to correspond with Right Front, working border and shapings at opposite ends of needle and making a button-hole in 4th row, every following 16th row twice, then in every following 20th row, until 8 button-holes have been worked from commencement.

To make a button-hole:—

**1st row.**—Work to last 14 sts., (K.1, P.1) twice, K.1, K.2 tog., (wl. fwd.) twice, K.2 tog., (P.1, K.1) twice, K.1.

(When working following row, work (wl. fwd.) twice as 2 sts.)

**THE BACK.**—Using No. 11 Needles, cast on 94 [B—106] [C—118] stitches.

**1st row.**—\* K.1, P.1, repeat from \* to end of row.

Repeat 1st row thirty-six times.

**38th row.**—Work 9 [B—7] [C—11] sts. in rib, \* increase once in next st., work 4 [B—5] [C—4] sts. in rib, repeat from \* to last 5 [B—3] [C—7] sts., work 5 [B—3] [C—7] sts. in rib (110 [B—122] [C—138] sts.).

Using No. 9 Needles, proceed as follows:—

**1st row.**—Knit plain.

**2nd row.**—Purl.

Repeat 1st and 2nd rows fifty-one times.

Cast off 6 [B—8] [C—10] sts. at beginning of next 2 rows, then decrease once at each end of needle in next row, then every alternate row, until 80 [B—88] [C—96] sts. remain.

Continue without shaping until arm-holes measure same as Front arm-holes.

Shape for shoulders as follows:—

**1st and 2nd rows.**—Work to last 6 [B—7] [C—9] sts., turn.

**3rd and 4th rows.**—Work to last 12 [B—15] [C—18] sts., turn.

**5th and 6th rows.**—Work to last 19 [B—23] [C—27] sts., turn.

**7th row.**—Work to end of row. Cast off.

**THE SLEEVES.**—Using No. 11 Needles, cast on 58 [B—58] [C—58] stitches.

**1st row.**—\* K.1, P.1, repeat from \* to end of row.

Repeat 1st row thirty times.

**[A] 32nd row.**—Purl to last st., increase once in last st. (59 sts.).

**[B] and [C] 32nd row.**—P.8, \* increase once in next st., P.5, repeat from \* to last 8 sts., increase once in next st., P.7 ([B—66] [C—66] sts.).

[Continued on page 17]





## *Sierra* (In Three Sizes)

PATONS HIGHLAND SPORTS WOOL


Chest — 37 ins., 18 ozs.; 41 ins., 19 ozs.; 45 ins., 20 ozs.

*Instructions on opposite page.*



# Grampians

(WITH OR WITHOUT SLEEVES—  
ILLUSTRATED ON FRONT COVER)

  
 Light Blue  
 Maroon  
 Dark Blue

## MATERIALS:—

PATONS BEEHIVE Fingering, 4-ply—"PATONISED"

### Quantities—

#### With Sleeves—

Fawn . . . . . 8 ozs.  
 Maroon . . . . . 4 ozs.  
 Light Blue . . . . . 3 ozs.  
 Dark Blue . . . . . 2 ozs.

#### Without Sleeves—

Fawn . . . . . 6 ozs.  
 Maroon . . . . . 2 ozs.  
 Light Blue . . . . . 2 ozs.  
 Dark Blue . . . . . 1 oz.

Knitting Needles—1 pair each Nos. 10 and 12, and 1 set of four No. 12, measured on a Beehive Needle Gauge.

## MEASUREMENTS:—

Length from top of shoulder . . . . . 24½ ins.  
 Width all round at under-arm . . . . . 38 ins.  
 Length of sleeve from under-arm . . . . . 20 ins.

ABBREVIATIONS:—See page 17.

**TENSION:**—To get these measurements it is absolutely necessary to work at a tension to produce 8 stitches to the inch in width. *Check tension—see page 17.*

*Pattern is worked in by twisting the two colours of wool on wrong side of fabric, that is to say, colour in use is twisted under and over colour not in use, latter being left at a loose tension to allow correct elasticity to fabric.*

**THE FRONT.**—Using No. 12 Needles and Fawn Wool, cast on 127 stitches.

**1st row.**—K.2, \* P.1, K.1, repeat from \* to last st., K.1.

**2nd row.**—K.1, \* P.1, K.1, repeat from \* to end of row. Repeat 1st and 2nd rows twenty-one times, then 1st row once.

In next row, work 3 sts. in rib, increase once in next st., \* work 6 sts. in rib, increase once in next st., repeat from \* to last 4 sts., work 4 sts. in rib (145 sts.).

Using No. 10 Needles, work in plain, smooth fabric and Fair Isle pattern exactly as shown in chart, until neck shaping is reached.

In next row, with right side of work facing, cast off 1 st., work 61 sts. in pattern, K.2 tog., turn.

Continue on these 62 sts., decreasing as shown in chart.


Join in wool at neck edge and work on remaining 63 sts. as shown in chart.

**THE BACK.**—Using No. 12 Needles and Fawn Wool, cast on 127 stitches.

**1st row.**—K.2, \* P.1, K.1, repeat from \* to last st., K.1.


**2nd row.**—K.1, \* P.1, K.1, repeat from \* to end of row.

Repeat 1st and 2nd rows twenty-one times, then 1st row once.



[Continued on page 16]





Front and Back Without Ribbing

Purl Row

Knit Row

# Alpine

(IN TWO SIZES—WITH OR WITHOUT SLEEVES—WITH "V"  
OR ROUND NECK—ILLUSTRATED AT RIGHT ON PAGE 2)

## MATERIALS:—

### PATONS BLUEBELL Crepe.

#### Quantities—

##### "V" Neck—

	A	B
With Sleeves . . . . .	1 lb. 2 ozs.	1 lb. 4 ozs.
Without Sleeves . . . . .	12 ozs.	13 ozs.

##### Round Neck—

With Sleeves . . . . .	1 lb. 3 ozs.	1 lb. 4 ozs.
Without Sleeves . . . . .	12 ozs.	13 ozs.

Knitting Needles—1 pair each Nos. 9 and 11, 1 set of four No. 11, measured on a Beehive Needle Gauge.

## MEASUREMENTS:—

	A	B
Length from top of shoulder . . . . .	24 ins.	25½ ins.
Width all round at under-arm . . . . .	38 ins.	42 ins.
Length of sleeve from under-arm . . . . .	20 ins.	20½ ins.
	(or length desired)	

ABBREVIATIONS:—See page 17.

TENSION:—To get these measurements it is absolutely necessary to work at a tension to produce 1 pattern to 2¼ inches in width. *Check tension—see page 17.*

Instructions are written for smaller size A. Instructions for larger size B are written in brackets, thus [B—...].

## PULLOVER WITH "V" NECK.

THE FRONT.—Using No. 11 Needles, cast on 126 [B—142] stitches.

1st row.—K.2, \* P.1, K.1, repeat from \* to end of row. Repeat 1st row thirty-two times.

34th row.—Work 3 [B—1] st/s. in rib, \* work 10 sts. in rib, increase once in next st., repeat from \* to last 2 [B—9] sts., work 2 [B—9] sts. in rib (137 [B—154] sts.).

Using No. 9 Needles, proceed as follows:—

\*\* 1st row.—K.3, P.1, K.1, P.1, \* K.6, P.1, K.1, P.1, K.2, P.1, K.2, P.1, K.1, P.1, repeat from \* to last 12 sts., K.6, P.1, K.1, P.1, K.3.

2nd row.—(K.1, P.1) three times, \* K.1, P.4, (K.1, P.1) twice, K.1, P.3, (K.1, P.1) twice, repeat from \* to last 12 sts., K.1, P.4, (K.1, P.1) three times, K.1.

Repeat 1st and 2nd rows twice.

7th row.—K.3, P.1, K.1, \* slip next 2 sts. on to a spare needle and hold at back of work, K.2, (K.1, P.1) from spare needle (working of these 4 sts. will now be termed "Twist Back" throughout), slip next 2 sts. on to a spare needle and hold at front of work, K.1, P.1, knit sts. from spare needle (working of these 4 sts. will now be termed "Twist Front" throughout), K.1, P.1, K.2, P.1, K.2, P.1, K.1, repeat from \* to last 13 sts., "Twist Back," "Twist Front," K.1, P.1, K.3.

8th row.—(K.1, P.1) twice, K.1, \* P.3, K.1, P.1, K.1, P.2, K.1, P.1, K.1, P.3, K.1, P.1, K.1, repeat from \* to last 13 sts., P.3, K.1, P.1, K.1, P.2, (K.1, P.1) twice, K.1.

9th row.—K.3, P.1, \* K.4, P.1, K.1, P.1, K.3, (P.1, K.2) twice, P.1, repeat from \* to last 14 sts., K.4, P.1, K.1, (P.1, K.3) twice.

Repeat 8th and 9th rows four times, then 8th row once.

19th row.—K.3, P.1, K.1, \* "Twist Front," "Twist Back," K.1, (P.1, K.2) twice, P.1, K.1, repeat from \* to last 13 sts., "Twist Front," "Twist Back," K.1, P.1, K.3.

Repeat 2nd row once, then 1st and 2nd rows once. \*\*

For Pullover With Sleeves:—

[A] Repeat from \*\* to \*\* four times, then from \*\* to 8th row once.

[B] Repeat from \*\* to \*\* four times, then from \*\* to 20th row once.

For Pullover Without Sleeves:—

[A] Repeat from \*\* to \*\* three times, then from \*\* to 20th row once.

[B] Repeat from \*\* to \*\* four times, then from \*\* to 10th row once.

Cast off 10 [B—14] sts. at beginning of next 2 rows, then decrease once at each end of needle in next and every alternate row, until 105 [B—114] sts. remain.

Work 1 row without shaping.

In next row, work 51 [B—57] sts. in pattern [A only—K.2 tog.], turn.

Continue in pattern on these 52 [B—57] sts., decreasing once at neck edge in every 4th row, until 34 [B—38] sts. remain.

For Pullover With Sleeves:—

Work [B—5] rows without shaping.

For Pullover Without Sleeves:—

Work 10 [B—14] rows without shaping.

Shape for shoulder as follows:—

1st row.—Work in pattern to last 11 [B—12] sts., turn.

2nd row.—Work in pattern to end of row.

3rd row.—Work in pattern to last 22 [B—24] sts., turn.

4th row.—Like 2nd row. Cast off.

Join in wool at centre front and work on remaining sts. to correspond with other side, omitting K.2 tog. at centre front in size A.

THE BACK.—Work exactly as given for Front until arm-hole shapings have been completed (105 [B—114] sts.).

Continue in pattern without shaping, until arm-holes measure same as Front arm-holes.

Shape for shoulders as follows:—

1st and 2nd rows.—Work in pattern to last 11 [B—12] sts., turn.

3rd and 4th rows.—Work in pattern to last 22 [B—24] sts., turn.

5th and 6th rows.—Work in pattern to last 34 [B—38] sts., turn.

7th row.—Work in pattern to end of row. Cast off.

THE SLEEVES.—Using No. 11 Needles, cast on 70 [B—70] stitches.

[Continued on page 16]

# Atlas

(IN THREE SIZES—WITH OR WITHOUT SLEEVES—  
ILLUSTRATED ON BACK COVER)

## MATERIALS:—

### PATONS BEEHIVE Fingering, 3-ply—"PATONISED".

#### Quantities—

	A	B	C
<b>With Sleeves</b> . . . . .	10 ozs.	11 ozs.	12 ozs.
<b>Without Sleeves</b> . . . . .	6 ozs.	7 ozs.	8 ozs.

Small Quantity of Three Contrasting Colours.

Knitting Needles—1 pair each Nos. 10 and 12, 1 set of four No. 12, measured on a Beehive Needle Gauge.

A Stitch-holder.

## MEASUREMENTS:—

	A	B	C
Length from top of shoulder	24 ins.	24 ins.	24 ins.
Width all round at under-arm	40 ins.	42 ins.	44 ins.
Length of sleeve from under-arm . . . . .	18½ ins.	18½ ins.	18½ ins.
	(or length desired)		

ABBREVIATIONS:—See page 17.

**TENSION:**—To get these measurements it is absolutely necessary to work at a tension to produce 8 stitches to the inch in width. *Check tension—see page 17.*

Instructions are written for smallest size A. Instructions for larger sizes B and C are written in brackets, thus [B—... ] [C—... ].

Pattern is worked in by twisting the two colours on wrong side of fabric, that is to say, colour in use is twisted under and over colour not in use, latter being left at a loose tension to allow correct elasticity to fabric.

**THE FRONT.**—Using No. 12 Needles and Ground shade, cast on 150 [B—159] [C—168] stitches.

Work in K.1, P.1, rib for 3 ins.

In next row, K.14 [B—K.18] [C—K.22], (increase by working into front and back of next st., K.11) eleven

times, increase in next st., knit to end (162 [B—171] [C—180] sts.).

In next row, purl.

Work Fair Isle band from chart A (odd rows knit plain, even rows purl), noting that in first size there are 9 repeats of chart; in second size on the knit row, work 9 repeats of chart, then first 9 sts.; on the purl row from 9th to first st., and then 9 repeats of chart again; for largest size, 10 repeats of chart.

Keeping smooth fabric correct, work 2 rows.

In next row, K.10 [B—K.14] [C—K.18], (K.2 tog., K.11) eleven times, K.2 tog., knit plain to end of row (150 [B—159] [C—168] sts.).

Using No. 10 Needles, continue in smooth fabric, until work measures 14 ins. from beginning, finishing at end of a purl row.

In next row, K.75 [B—K.80] [C—K.84], slip remaining sts. on to stitch-holder and leave for present.

Proceed on former set of sts.:—

Decrease 1 st. at neck edge on 3rd and every following 6th row, until there are 71 [B—75] [C—79] sts. on needle.

Still decreasing on every 6th row at neck edge as before, shape arm-hole by casting off 11 [B—12] [C—13] sts. at beginning of next row, then decrease 1 st. at arm-hole edge in next and every alternate row, until 11 [B—12] [C—13] decreasings in all have been worked at arm-hole edge.

Continue without further decreasing at arm-hole edge, but decreasing every 5th row at neck edge as before until 33 [B—36] [C—39] sts. remain.



Proceed on these sts, until work measures 9 ins. from beginning of arm-hole shaping, finishing at arm-hole edge.

Shape for shoulder as follows:—

Cast off 11 [B—12] [C—13] sts. at beginning of next and every alternate row, until all sts. are cast off.

## KEY

<input type="checkbox"/> GROUND SHADE	<input checked="" type="checkbox"/> SECOND SHADE
<input checked="" type="checkbox"/> FIRST SHADE	<input checked="" type="checkbox"/> THIRD SHADE



Slip 75 [B—79] [C—84] sts. from stitch-holder on to No. 10 Needle, rejoin wool and complete to match other half of Front.

**THE BACK.**—Work as instructions for Front, until division for neck opening is reached.

Continue in smooth fabric until work matches Front up to arm-hole shaping.

Shape arm-holes by casting off 7 [B—8] [C—9] sts. at beginning of next 2 rows, then decrease 1 st. at both ends of next and every alternate row, until 114 [B—117] [C—120] sts. remain.

Proceed on these sts. until work measures  $6\frac{1}{2}$  ins. from beginning of arm-hole shaping, finishing at end of a purl row.

In next row, K.40 [B—K.42] [C—K.44], cast off 34 [B—33] [C—32] sts., knit to end of row.

Proceed on each set of 40 [B—42] [C—44] sts. as follows:—

Decrease 1 st. at neck edge on every row, until 33 [B—36] [C—39] sts. remain.

Proceed on these sts. until work measures 9 ins. from beginning of arm-hole shaping, finishing at arm-hole edge.

Shape shoulder as on Front.

**THE SLEEVES.**—Using No. 12 Needles and Ground shade, cast on 72 stitches, and work in K.1, P.1, rib for 2 ins.

Work 2 rows in smooth fabric, then work Fair Isle band to match Front.

Using No. 10 Needles, continue in smooth fabric, increasing 1 st. at both ends of next and every following 5th row, until there are 120 sts. on needle.

Proceed on these sts. until work measures  $18\frac{1}{2}$  ins. (or length desired) from beginning.

Shape top by casting off 9 sts. at beginning of next 2 rows, then decrease 1 st. at both ends of next and every alternate row, until 46 sts. remain. Cast off.

Work another Sleeve in same manner.

**THE NECK-BAND.**—Using a back stitch seam ( $\frac{1}{8}$  of an inch in width), join shoulders of Back and Front together. Using a set of No. 12 Needles and Ground shade, with right side facing, commencing at centre front of "V," knit up 90 sts. on first needle, 90 sts. on second needle and 90 sts. on third needle, thus completing round.

Proceed to work in rounds, rows 4 to 15, from chart B, working centre st. (first st. on first needle) as shown on chart, decrease at each side of centre st. on 6th and every row, working decreases as shown on chart, until the 15th row of chart has been completed (250 sts.).

In next round, using Ground shade, K.2, (K.2 tog., K.2) twenty times, K.1, (K.2 tog., K.1) twenty-eight times, K.1, (K.2 tog., K.2) twenty times, K.2 (182 sts.).

Using Ground shade, proceed in K.1, P.1, rib, for 9 rounds, decreasing 1 st. at each side of centre sts. as before, on every round. Cast off in rib.

**THE ARM-HOLE BANDS.**—Using No. 12 Needles and Ground shade, and with right side of work facing, knit up 164 stitches round arm-hole.

Work 9 rows in K.1, P.1, rib. Cast off in rib.

Complete second arm-band to match.

**TO MAKE UP PULLOVER.**—Omitting ribbing, press all pieces of work on wrong side, using a warm iron and damp cloth. Using a back stitch seam, join side seams and arm-bands on sleeveless model. Join side and sleeve seams and stitch sleeves into position on long-sleeve model. Press all seams.

## Pyrenees (Continued from page 4)

Shape for shoulder as follows:—

Cast off 12 sts. at beginning of next and every alternate row, until all sts. are cast off. \*\*

Rejoin wools to second set of 130 sts.

Proceed in Fair Isle pattern on these 130 sts., decreasing 1 st. at both ends of every row, until 108 sts. remain.

Continue on these 108 sts., until work measures  $8\frac{1}{2}$  ins. from beginning of arm-hole shaping.

Shape for shoulder as follows:—

Cast off 12 sts. at beginning of next 6 rows. Cast off.

Rejoin wool to last set of 67 sts. and work Right Front to correspond with Left Front, from \*\* to \*\*.

**THE POCKET TOPS.**—Slip sts. from stitch-holder on to a No. 9 Needle, and work 6 rows in smooth fabric. Cast off.

**THE FRONT BANDS.**—Slip the 11 sts. from safety-pin of Left Front on to a No. 11 Needle, rejoin Brown Wool, and, working button-hole as before on every 15th and 16th row from previous button-hole, continue in rib on these sts., until 10th button-hole has been completed. Continue in rib without further button-holes, until sufficient ribbing has been worked to go up front and round to centre back of neck.

Slip the 11 sts. from safety-pin on Right Front on to a No. 11 Needle, rejoin Brown Wool, and, omitting button-holes, complete to match band on Left Front.

**THE ARM-HOLE BANDS.**—Using a back stitch seam ( $\frac{1}{8}$  of an inch in width), join shoulders of Back and Front. Using Brown Wool and four No. 11 Needles, with right side of work facing, knit up 152 sts. round arm-hole, and work in K.1, P.1, rib for 10 rounds. Cast off in rib. Work other Arm-hole Band in same manner.

**THE LONG SLEEVES.**—Using Brown Wool and No. 11 Needles, cast on 72 stitches, and work in K.1, P.1, rib for  $3\frac{1}{4}$  ins.

Using No. 9 Needles, proceed in ribbed pattern as follows:—

**1st row.**—P.1, \* K.4, P.2, repeat from \* to last 5 sts., K.4, P.1.

**2nd row.**—K.1, \* P.4, K.2, repeat from \* to last 5 sts., P.4, K.1.

These 2 rows form ribbed pattern used for sleeves.

Continue in ribbed pattern, increasing 1 st. at both ends of next and every following 6th row, until there are 118 sts. on needle.

Proceed on 118 sts. until work measures  $20\frac{1}{2}$  ins. from beginning.

Shape top by casting off 5 sts. at beginning of next 4 rows, 3 sts. at beginning of next 4 rows, 2 sts. at beginning of next 2 rows, then decrease 1 st. at both ends of every row, until 22 sts. remain. Cast off.

Work another Sleeve in same manner.

**TO MAKE UP CARDIGAN.**—With a slightly damp cloth and warm iron, press lightly (omitting ribbing on No. 11 Needles). Using a back stitch seam ( $\frac{1}{8}$  of an inch in width), sew up sleeve seams. Sew in sleeves, placing seam to seam. Sew front bands to front edge, joining bands at centre back. Sew pocket facings in position. Turn down pocket tops and stitch on wrong side. Sew on buttons to correspond with button-holes.

## Rocky *(Continued from page 6)*

**THE POLO NECK.**—Using a back stitch seam ( $\frac{1}{8}$  of an inch in width), sew up right shoulder seam. With right side of work facing, and using No. 9 Needles, knit up 24 sts. evenly along left side of neck, knit across 19 sts. on stitch-holder, knit up 24 sts. along right side of neck, and 33 sts. across back of neck (100 stitches).

**1st row.**—K.2, \* P.1, K.1, repeat from \* to end of row. Repeat 1st row forty-three times.  
Cast off loosely in rib.

### PULLOVER WITH "V" NECK.

**THE FRONT.**—Work exactly as given for Front of Pullover with Polo Neck to under-arm.

Cast off 5 [B—8] stitches at beginning of next 2 rows, then decrease once at each end of needle in next and every alternate row, until 99 [B—100] sts. remain.

In next row, work 48 sts., P.2 tog., turn.

Continue on these 49 sts. as follows:—

**1st row.**—K.2, work to last 3 sts., P.2 tog., K.1.

**2nd row.**—Work to last 2 sts., P.1, K.1.

Repeat 1st and 2nd rows once.

**5th row.**—K.2, K.2 tog., work to last 3 sts., K.2 tog., K.1.

Continue in pattern, decreasing once at arm-hole edge in every alternate row twice, whilst at same time decreasing once at neck edge (inside border of 2 sts.) in 4th row (42 sts.).

Continue decreasing at neck edge only in every 4th row, until 30 sts. remain.

Work 3 [B—5] rows without shaping.

Shape for shoulder as follows:—

**1st row.**—Work to last 7 sts., turn.

**2nd and 4th rows.**—Work to end of row.

**3rd row.**—Work to last 14 sts., turn.

**5th row.**—Work to last 21 sts., turn.

**6th row.**—Like 2nd row. Cast off.

Join in wool at centre front, and work on remaining sts. to correspond with other side, omitting K.2 tog. at centre front in size A.

**THE BACK.**—Work exactly as given for Back of Pullover with Polo Neck.

**THE SLEEVES.**—Work exactly as given for Sleeves of Pullover with Polo Neck.

**THE NECK-BAND.**—Using a back stitch seam ( $\frac{1}{8}$  of an inch in width), sew up right shoulder seam.

With right side of work facing, and using No. 9 Needles, knit up 53 sts. evenly along left side of neck (knitting up last st. from centre front), 52 sts. along right side of neck, and 33 sts. across back of neck (138 sts.).

**1st row.**—(K.1, P.1) sixty-nine times.

**2nd row.**—(K.1, P.1) twenty-five times, slip 1, K.1, p.s.s.o., K.1, K.2 tog., (P.1, K.1) forty-one times, P.1.

Work 5 rows in rib, decreasing once at each side of centre point of "V" neck in every row. Cast off loosely in rib.

**TO MAKE UP PULLOVER.**—With a slightly damp cloth and warm iron, press lightly. Using a back stitch seam ( $\frac{1}{8}$  of an inch in width) throughout, sew up side, left shoulder and sleeve seams. Sew in sleeves, placing seam to seam. For Pullover with Polo Neck: Sew up collar.

*Your knitteds mean more*

*when you use*

**Patons**



"Patonising" brings a further meaning

to an important Knitting word . . . **PATONS.**

The "**PATONISED**" seal indicates that the wool has been

treated to render it shrink-resisting. It retains

its lovely, soft fullness and woolly texture and, with average care, can be washed repeatedly without shrinking.

To use "**PATONISED**" Knitting Wool means longer life to your woollies.

*These P & B Knitting Wools  
are "Patonised" Qualities*

**PATONS BEEHIVE FINGERING  
PATONS BEEHIVE BABY WOOL  
PATONS BEEHIVE LADY BETTY  
PATONS SOCK WOOL**





## Grampians *(Continued from page 10)*

In next row, work 3 sts. in rib, increase once in next st., \* work 6 sts. in rib, increase once in next st., repeat from \* to last 4 sts., work 4 sts. in rib (145 sts.).

Using No. 10 Needles, work in plain, smooth fabric and pattern exactly as shown in chart, working in pattern across sts., in place of neck shaping.

Cast off remaining sts.

**THE SLEEVES.**—Using No. 12 Needles and Fawn Wool, cast on 61 stitches.

**1st row.**—K.2, \* P.1, K.1, repeat from \* to last st., K.1.

**2nd row.**—K.1, \* P.1, K.1, repeat from \* to end of row. Repeat 1st and 2nd rows seventeen times, then 1st row once.

In next row, K.2, \* P.1, K.1, increase once in next st., K.1, P.1, increase once in next st., repeat from \* to last 5 sts., (P.1, K.1) twice, K.1.

Using No. 10 Needles, proceed as follows:—

**1st row.**—Knit plain.

**2nd row.**—Purl.

Work in pattern, as shown from \*\* to \*\* on chart twice, increasing once at each end of needle in 3rd and every following 6th row, until there are 125 sts. on needle.

Work 7 rows in pattern without shaping.

Keeping continuity of pattern, decrease once at each end of needle in next and every alternate row, until 87 sts. remain.

Work 1 row without shaping.

Decrease once at each end of needle in every row, until 47 sts. remain. Cast off.

Work another Sleeve in same manner.

**THE NECK-BAND.**—Using a back stitch seam ( $\frac{1}{8}$  of an inch in width), sew up shoulder seams. With right side of work facing, using four No. 12 Needles and Fawn Wool, knit up 41 sts. evenly across back of neck, 82 sts. along left side of neck (knitting up last st. from centre front), and 81 sts. along right side of neck (204 sts.).

**1st round.**—(K.1, P.1) sixty times, slip 1, K.1, p.s.o., K.1, K.2 tog., P.1, (K.1, P.1) thirty-nine times.

Work 11 rounds in rib, decreasing once at each side of centre point of "V" neck, in every row. Cast off loosely in rib.

**THE ARM-HOLE BANDS.**—With right side of work facing, using two No. 12 Needles and Fawn Wool, knit up 164 stitches evenly round arm-hole.

**1st row.**—K.2, \* P.1, K.1, repeat from \* to end of row. Repeat 1st row eleven times.

Cast off loosely in rib.

Work other Arm-hole Band in same manner.

**TO MAKE UP PULLOVER.**—With a slightly damp cloth and warm iron, press lightly. Using a back stitch seam ( $\frac{1}{8}$  of an inch in width), sew up side and sleeve seams. Sew in sleeves, placing seam to seam. For Pullover without sleeves, sew up side seams.

## Alpine *(Continued from page 12)*

**1st row.**—K.2, \* P.1, K.1, repeat from \* to end of row. Repeat 1st row thirty-two times, decreasing once at end of last row.

Using No. 9 Needles, work as given from \*\* to \*\* for Front, increasing once at each end of needle in 3rd and every following 8th row, until there are 103 [B—103] sts. on needle.

Continue without shaping until work measures 20 [B—20 $\frac{1}{2}$ ] ins. (or length desired) from commencement, ending with wrong side facing.

Decrease once at each end of needle in next and every alternate row, until 63 [B—63] sts. remain, then in every row, until 45 [B—45] sts. remain. Cast off.

Work another Sleeve in same manner.

**THE NECK-BAND.**—Using a back stitch seam ( $\frac{1}{8}$  of an inch in width), sew up right shoulder seam. With right side of work facing, and using No. 11 Needles, knit up 69 [B—73] sts. evenly along left side of neck (knitting up last st. from centre front) 68 [B—72] sts. along right side of neck and 37 [B—41] sts. across back of neck (174 [B—186] sts.).

**1st row.**—K.2, (P.1, K.1) fifty [B—fifty-four] times, (P.1, K.2 tog.) twice, (P.1, K.1) thirty-three [B—thirty-five] times.

Work 7 rows in rib, decreasing once at each side of centre point of "V" neck in every row.

Cast off loosely in rib.

**THE ARM-HOLE BANDS.**—Using a back stitch seam ( $\frac{1}{8}$  of an inch in width), sew up left shoulder seam. With right side of work facing, and using No. 11 Needles, knit up 166 [B—174] sts. evenly round arm-hole.

**1st row.**—K.2, \* P.1, K.1, repeat from \* to end of row. Repeat 1st row seven times. Cast off loosely in rib.

Work other Arm-hole Band in same manner.

**FOR PULLOVER WITH ROUND NECK.**

**THE FRONT.**—Work exactly as given for Front of Pullover with "V" Neck, until arm-hole shapings have been completed (105 [B—114] sts.).

For Pullover With Sleeves:—

Work 49 [B—53] rows in pattern without shaping.

For Pullover Without Sleeves:—

Work 57 [B—63] rows without shaping.

In next row, work 42 [B—46] sts. in pattern, cast off 21 [B—22] sts., work in pattern to end of row.

Continue in pattern on last 42 [B—46] sts., decreasing once at neck edge in every alternate row, until 34 [B—38] sts. remain.

Work 9 [B—9] rows in pattern without shaping.

Shape for shoulder as follows:—

**1st row.**—Work in pattern to last 11 [B—12] sts., turn.

**2nd row.**—Work in pattern to end of row.

**3rd row.**—Work in pattern to last 22 [B—24] sts., turn.

**4th row.**—Like 2nd row. Cast off.

Join in wool at neck edge and work on remaining sts. to correspond with other side.

**THE BACK.**—Work exactly as given for Back of Pullover with "V" Neck.

**THE SLEEVES.**—Work exactly as given for Sleeves of Pullover with "V" Neck.

**THE NECK-BAND.**—Using a back stitch seam ( $\frac{1}{8}$  of an inch in width), sew up shoulder seams. With right side of work facing, and using four No. 11 Needles, knit up 122 [B—122] sts. evenly round neck.

**1st round.**—\* K.1, P.1, repeat from \* to end of round.

Repeat 1st round eight times.

Cast off loosely in rib.

**THE ARM-HOLE BANDS.**—Work exactly as given for Arm-hole Bands of Pullover with "V" Neck.

**TO MAKE UP PULLOVER.**—With a slightly damp cloth and warm iron, press lightly. Using a back stitch seam ( $\frac{1}{8}$  of an inch in width), sew up side, left shoulder and sleeve seams. Sew in sleeves, placing seam to seam. For Pullover without sleeves, sew up side seams.

## Sierra *(Continued from page 8)*

Using No. 9 Needles, proceed as follows:—

**1st row.**—Knit plain.

**2nd row.**—Purl.

Continue in plain, smooth fabric, increasing once at each end of needle in 5th and every following 6th row, until there are 99 [B—106] [C—106] sts. on needle.

Continue without shaping, until work measures 20 ins. (or length desired) from commencement.

Decrease once at each end of needle in every row, until 21 [B—28] [C—28] sts. remain. Cast off.

Work another Sleeve in same manner.

**TO MAKE UP LUMBER JACKET.**—With a slightly damp cloth and warm iron, press lightly. Using a back stitch seam ( $\frac{1}{8}$  of an inch in width) throughout, sew up side, shoulder and sleeve seams. Sew in sleeves, placing seam to seam. Join together bands from fronts and sew to back of neck. Sew on buttons to correspond with button-holes.

## Andes *(Continued from page 18)*

**THE BACK.**—Work exactly as given for Front to \*\*\*. Cast off 6 [B—7] [C—8] sts. at beginning of next 2 rows, then decrease once at each end of needle in next and every alternate row, until 95 [B—101] [C—107] sts. remain.

Continue in pattern without shaping, until arm-holes measure same as Front arm-holes.

Shape for shoulders as follows:—

**1st and 2nd rows.**—Work in pattern to last 7 [B—8] [C—9] sts., turn.

**3rd and 4th rows.**—Work in pattern to last 15 [B—16] [C—18] sts., turn.

**5th and 6th rows.**—Work in pattern to last 23 [B—25] [C—27] sts., turn.

**7th and 8th rows.**—Work in pattern to last 31 [B—34] [C—37] sts., turn.

**9th row.**—Work in pattern to end of row. Cast off.

**THE SLEEVES.**—Using No. 12 Needles, cast on 66 [B—72] [C—72] stitches.

**1st row.**—K.2, \* P.1, K.1, repeat from \* to end of row.

Repeat 1st row forty-one times, decreasing once at end of needle in last row.

Using No. 10 Needles, work in pattern, as given from \*\* to \*\* for Front, increasing once at each end of needle in 9th, then every following 8th row, until there are 103 [B—105] [C—107] sts. on needle.

Work 3 rows without shaping.

Decrease once at each end of needle in next and every alternate row, until 87 [B—89] [C—91] sts. remain, then in every row, until 33 [B—35] [C—37] sts. remain. Cast off.

Work another Sleeve in same manner.

**THE NECK-BAND.**—Using a back stitch seam ( $\frac{1}{8}$  of an inch in width) sew up right shoulder seam.

With right side of work facing, and using No. 12 Needles, knit up 54 sts. along left side of neck (knitting up last st. from centre front), 53 sts. along right side of neck and 35 sts. across back of neck (142 sts.).

**1st row.**—(K.1, P.1) forty-four times, P.1, (P.1, K.1) twenty-six times, K.1.

Work 9 rows in rib, decreasing once at each side of centre point of "V" neck in next and every alternate row. Cast off in rib.

**TO MAKE UP PULLOVER.**—With a slightly damp cloth and warm iron, press lightly. Using a back stitch seam ( $\frac{1}{8}$  of an inch in width) throughout, sew up side, left shoulder and sleeve seams. Sew in sleeves, placing seam to seam.



### SOME IMPORTANT INFORMATION



Avoid disappointment—buy the wool recommended. Buy wisely—buy enough—the same blend cannot be repeated.

**TENSION** is the number of stitches in width to measure one inch. On this depends the success of the finished article. If the tension is not obtainable on the needles recommended, use a size finer or coarser, as required.

#### ABBREVIATIONS:—

K. = Knit plain  
P. = Purl  
sts. = stitches  
ins. = inches  
tog. = together  
wl. fwd. = wool forward

p.s.s.o. = pass slip stitch  
over  
w.o.n. = wool over needle  
w.r.n. = wool round  
needle

t.b.l. = through the back  
of the loop  
ch. = chain  
tr. = treble  
s.c. = single crochet  
d.c. = double crochet

l.tr. = long treble (wool  
over hook twice)  
sl. st. = slip stitch  
sp. = space  
garter stitch = every row  
plain

When the instructions read, "Cast off 2 stitches, K.2" (or similar stitches), the stitch on the right-hand needle, after casting off, is counted as one stitch.

# Andes

(IN THREE SIZES—ILLUSTRATED OPPOSITE)

**MATERIALS:—****PATONS BEEHIVE Fingering, 4-ply—"PATONISED"**

	A	B	C
Quantities . . . . .	11 ozs.	12 ozs.	14 ozs.
Knitting Needles—1 pair each Nos. 10 and 12, measured on a Beehive Needle Gauge.			
A Stitch-holder.			

**MEASUREMENTS (to fit A—35-36, B—38-39, C—41-42 inch chest):—**

	A	B	C
Length from top of shoulder	22 ins.	24 ins.	25 ins.
Length of sleeve from under arm . . . . .	20 ins.	20 ins.	20 ins.

**ABBREVIATIONS:—**See page 17.

**TENSION:—**To get these measurements it is absolutely necessary to work at a tension to produce  $7\frac{1}{2}$  stitches to the inch in width. *Check tension — see page 17.*

*Instructions are written for smallest size A. Instructions for larger sizes B and C are written in brackets, thus [B—...] [C—...].*

**THE FRONT.—**Using No. 12 Needles, cast on 118 [B—120] [C—130] stitches.

**1st row.—**K.2, \* P.1, K.1, repeat from \* to end of row. Repeat 1st row forty times.

**[A] 42nd row.—**Increase once in first st., \* K.1, P.1, repeat from \* to end of row (119 sts.).

**[B] 42nd row.—**K.2, P.1, K.1, P.1, \* (K.1, P.1) four times, K.1, increase once in next st., repeat from \* to last 5 sts., (K.1, P.1) twice, K.1 (131 sts.).

**[C] 42nd row.—**Increase once in first st., (K.1, P.1) four times, K.1, \* increase once in next st., (K.1, P.1) four times, K.1, repeat from \* to end of row (143 sts.).

Using No. 10 Needles, proceed as follows:—

**\*\* 1st row.—**K.1, \* K.3, P.1, K.1, P.1, repeat from \* to last 4 sts., K.4.

**2nd row.—**P.1, \* P.3, K.1, P.1, K.1, repeat from \* to last 4 sts., P.4.

**3rd row.—**\* K.5, P.1, repeat from \* to last 5 sts., K.5.

**4th row.—**P.5, \* K.1, P.5, repeat from \* to end of row.

**5th row.—**K.2, \* P.1, K.5, repeat from \* to last 3 sts., P.1, K.2.

**6th row.—**P.2, \* K.1, P.5, repeat from \* to last 3 sts., K.1, P.2.

**7th row.—**K.1, \* P.1, K.1, P.1, K.3, repeat from \* to last 4 sts., (P.1, K.1) twice.

**8th row.—**P.1, \* K.1, P.1, K.1, P.3, repeat from \* to last 4 sts., (K.1, P.1) twice.

Repeat 5th and 6th rows once, then 3rd and 4th rows once. \*\*

Repeat from \*\* to \*\* until work measures 14 [B—15½] [C—16½] ins. from commencement, ending with wrong side of work facing. \*\*\*

Cast off 6 [B—7] [C—8] sts. at beginning of next 2 rows, then decrease once at each end of needle in next and every alternate row, until 105 [B—111] [C—117] sts. remain.

Proceed as follows:—

**1st row.—**Work 51 [B—54] [C—57] sts. in pattern, K.2 tog., turn; leave remaining sts. on stitch-holder.

**2nd row.—**K.2, work in pattern to last 2 sts., K.2 tog.

**3rd row.—**Work in pattern to last 2 sts., P.2.

**4th row.—**K.2, K.2 tog., work in pattern to last 2 sts., K.2 tog.

**5th row.—**Like 3rd row.

Keeping a border of 2 sts. in plain, smooth fabric at neck edge, continue in pattern, decreasing once at arm-hole edge in next, then every alternate row twice, whilst at same time decreasing once at neck edge (inside border) in 4th row (45 [B—48] [C—51] sts.).

Continue decreasing at neck edge only in 2nd, then every following 4th row, until 31 [B—34] [C—37] sts. remain.

Work 1 row without shaping.

Shape for shoulder as follows:—

**1st row.—**Work in pattern to last 7 [B—8] [C—9] sts., turn.

**2nd and 4th rows.—**Work in pattern to end of row.

**3rd row.—**Work in pattern to last 15 [B—16] [C—18] sts., turn.

**5th row.—**Work in pattern to last 23 [B—25] [C—27] sts., turn.

**6th row.—**Like 2nd row. Cast off.

Join in wool at centre front and work on remaining sts. to correspond with other side, omitting K.2 tog. at centre front.

[Continued on page 17]

Wholly Set up and Printed in Australia


Published With All Rights Reserved by

## PATONS & BALDWIN'S LIMITED

84-94 Flinders Lane, MELBOURNE, C.I



181 Clarence Street, SYDNEY



*Andes*


(In Three Sizes)

PATONS BEEHIVE FINGERING, 4-ply — "PATONISED"

Chest — 36 ins., 11 ozs.; 39 ins., 12 ozs.; 42 ins., 14 ozs.

*Instructions on opposite page.*

# Patons KNITTING BOOK NO. 273



"ATLAS" - See page 13

P&B  
WOOLS